



# IQ Energy Router

### Intelligent and seamless home energy management

The newest addition to the Enphase Energy System, the IQ Energy Router integrates Enphase solar and battery storage systems with heat pumps and EV chargers to maximize self-consumption and minimize costs. Installers should use the Enphase Installer App and the Enphase Installer Portal to install and maintain the system. Homeowners can use the Enphase App to monitor energy and control the system.

Now the Enphase Energy System can utilize self-learning algorithms and forecasts to run your devices at optimal times to gain more energy independence and reduce what you need to buy from the grid.



#### Control

- Intelligently control heat pumps and EV chargers using the Enphase App
- · Maximize self-consumption
- · Minimize costs

### Simple

- · Easy installation
- · Autonomous operation

#### Reliable

- · Designed for indoor installation
- 5-year limited warranty





# IQ Energy Router

| ENVIRONMENTAL SPECIFICATIONS, STANDARD AND CERTIFICATIONS | HEMS-GW-01   |  |  |
|---|--|--|--|
| Temperature Range   | 10°C to 40°C   |  |  |
| Directive   | RoHS, WEEE, REACH  |  |  |
| Flammabilty   | UL94   |  |  |
| EMC   | EN 55032: 2015   |  |  |
| Electrical Safety   | EN IEC 62368-1:2020+A11: 2020  |  |  |
| Certification   | CE   |  |  |
| Max. radiated power                                       | <10 dBm  |  |  |
| Frequency   | 2405 – 2480 MHz  |  |  |
| ELECTRICAL SPECIFICATION                                  |  |  |  |
| Input voltage   | 5 VDC  |  |  |
| Input current   | 1A   |  |  |
| Consumption   | 5 W  |  |  |
| MECHANICAL DATA   |  |  |  |
| Weight  | 114 g  |  |  |
| Height  | 27.3 mm  |  |  |
| Width   | 96.1 mm  |  |  |
| Length  | 96.6 mm  |  |  |
| Ethernet port   | RJ45   |  |  |
| Color   | White  |  |  |
| DC power cable  | USB A to 5 V DC jack cable (2.5 mm × 5.5 mm barrel connector)                                |  |  |
| EU power supply - voltage                                 | 100 V-240 V@ 50 Hz-60 Hz   |  |  |
| EU power supply - current                                 | 0.2 A  |  |  |
| PACKAGING SPECIFICATION                                   |  |  |  |
| Weight  | 270 g  |  |  |
| Height  | 72 mm  |  |  |
| Width   | 115 mm   |  |  |
| Length  | 117 mm   |  |  |
| Included in box   | EU power supply USB A to jack cable (2.5 mm × 5.5 mm DC plug) CAT 6 Ethernet cable with RJ45 |  |  |
|   |  |  |  |

| PRODUCT NAME                    | WHAT'S IN THE BOX? | HEMS INTEGRATION OF EV CHARGER | HEMS INTEGRATION OF HEAT PUMP | HEMS INTEGRATION OF EV CHARGER AND HEAT PUMP |
|---------------------------------|--------------------|--------------------------------|-------------------------------|--|
| HEMS-GW-01<br>IQ Energy Router  | IQ Energy Router   | •                              |                               |  |
|                                 | IQ Energy Router   |                                | •                             | •  |
| HEMS-HP-01<br>IQ Energy Router+ | SG Ready Relay     |                                | •                             | •  |
|                                 | Energy Meter       |                                | •                             | •  |

## **Revision History**

| REVISION      | DATE        | DESCRIPTION   |
|---------------|-------------|---|
| DSH-00065-2.0 | August 2023 | <ul> <li>Added the description and figure for Intelligent and Seamless Home Energy Management on page 1.</li> <li>Added the table for two HEMS SKUs on page 2.</li> </ul> |
| DSH-00065-1.0 | June 2023   | Initial release   |